



C.M.P.
DETAIL

SECTION
B-B

1 1/2 : 1 EMBANKMENT SLOPE						
D	DIMENSIONS			CONC. (C.Y.)		
	F	E	X	C.M.P.	R.C.P.	(LBS.)
42"	5'- 2"	5'- 2"	1'- 9"	4.55	4.45	275
48"	5'- 8"	5'- 8"	1'- 11"	5.32	5.20	321
54"	6'- 2"	6'- 2"	2'- 1"	6.14	6.01	370
60"	6'- 8"	6'- 8"	2'- 3"	7.03	6.88	424
66"	7'- 2"	7'- 2"	2'- 5"	7.98	7.81	481
72"	7'- 8"	7'- 8"	2'- 7"	8.99	8.80	542
78"	8'- 2"	8'- 2"	2'- 9"	10.07	9.85	608
84"	8'- 8"	8'- 8"	2'- 11"	11.20	10.96	676
4 : 1 EMBANKMENT SLOPE						
42"	8'- 8"	8'- 8"	3'- 0"	7.88	7.70	475
48"	8'- 8"	8'- 8"	3'- 6"	8.47	8.28	511
54"	8'- 8"	8'- 8"	4'- 0"	9.07	8.87	548
60"	9'- 4"	9'- 4"	4'- 4"	10.39	10.16	627
66"	9'- 8"	9'- 8"	4'- 9"	11.42	11.17	689
72"	9'- 8"	9'- 8"	5'- 3"	12.11	11.84	731
78"	10'- 0"	10'- 0"	5'- 8"	13.22	12.93	798
84"	10'- 8"	10'- 8"	6'- 0"	14.81	14.48	893



CITY OF CORDELE, GEORGIA - STANDARD DETAIL

INLET HEADWALL

DETAIL NO:

D-011

DATE: