


BARRICADE TO BE PLASTIC ORANGE BARRICADE FENCING WHICH IS TO BE SET 5 FEET OUTSIDE DRIPLINE.



NOTE:

NO CONSTRUCTION EQUIPMENT, PERSONAL VEHICLES, SITE DEBRIS OR WASTE MATERIAL SHALL BE STORED IN THE TREE PROTECTION ZONE. CONTRACTOR WILL BE LIABLE FOR FINES FROM THE EPD.

PROVIDE A 4" DEEP MULCH OVER UNPROTECTED TREE ROOTS WITHIN THE BARRICADE AREA. MULCH MAY BE SHREDDED OR CHIPPED MATERIALS FROM TREE REMOVAL OPERATIONS.

MAKE CLEAN CUTS ON ROOTS EXPOSED BY GRADING AND BACKFILL IMMEDIATELY.

PROVIDE TEMPORARY IRRIGATION WHEN PRACTICAL AND FEASIBLE.

CONTRACTOR IS TO CONTACT THE CITY ARBORIST PRIOR TO BEGINNING CONSTRUCTION TO ASCERTAIN THAT THE TREE FENCING IS INSTALLED PROPERLY TO PROTECT THE TREES THAT ARE SLATED TO BE SAVED AS SHOWN ON THE PLANS. THE CONTRACTOR WILL BE LIABLE FOR THE TDU REPLACEMENT VALUE OF ANY TREES THAT HAVE BEEN BREECHED DUE TO CONSTRUCTION AS PER THE CITY ARBORIST SITE INSPECTIONS.



CITY OF CORDELE, GEORGIA - STANDARD DETAIL

TREE BARRICADE

DETAIL NO:

E-022

DATE: